W3C Web Content Accessibility Guidelines (WCAG) 2.0 Conformance Statement

Date: 10/8/2016

Name of Product: SharePoint Server 2016

Description of Product: SharePoint Server 2016 is designed to help you achieve new levels of reliability and performance and empower users while meeting their demands for greater business mobility. Information below refers to SharePoint Server 2016. For features in SharePoint Online and earlier versions, please also see <u>Accessibility features in SharePoint Online</u>.

Platform: Web

Website: Microsoft Accessibility

Contact for more information: Disability Answer Desk

For assistance with this report or finding one for another product, please email us.

WCAG 2.0 Conformance Requirements

Criteria
<u>1. Conformance Level</u>
2. Full pages
3. Complete processes
4. Only Accessibility-Supported Ways of Using Technologies
5. Non-Interference

Web Content Accessibility Guidelines (WCAG) 2.0

Principle 1: Perceivable

Information and user interface components must be presentable to users in ways they can perceive.

Guideline 1.1 Text Alternatives

Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language.

Criteria	Supporting Feature	Remarks and Explanations
1.1.1 Non-text Content: All non-text	Supported With Exceptions	In library settings, newsfeed,
content that is presented to the user		calendars, page authoring and the
has a text alternative that serves the		add web part experience, some non-
equivalent purpose, except for the		text elements don't have appropriate
situations listed below.		alt text. In most cases the
• <u>Controls, Input:</u> If non-text content		workaround is to use the ribbon as it
is a control or accepts user input,		contains the same controls with
then it has a name that describes its		appropriate alt text that can be used.
purpose. (Refer to <u>Guideline 4.1</u> for		
additional requirements for controls		
and content that accepts user input.)		
 <u>Time-Based Media</u>: If non-text 		
content is time-based media, then		
text alternatives at least provide		
descriptive identification of the non-		
text content. (Refer to Guideline 1.2		
for additional requirements for		
media.)		
• <u>Test:</u> If non-text content is a test or		
exercise that would be invalid if		
presented in text, then text		
alternatives at least provide		
descriptive identification of the non-		
text content.		
 <u>Sensory</u>: If non-text content is 		
primarily intended to create a specific		
sensory experience, then text		
alternatives at least provide		
descriptive identification of the non-		
text content.		
• <u>CAPTCHA:</u> If the purpose of non-		
text content is to confirm that		
content is being accessed by a person		
rather than a computer, then text		
alternatives that identify and describe		
the purpose of the non-text content		
are provided, and alternative forms of		
CAPTCHA using output modes for		

Criteria	Supporting Feature	Remarks and Explanations
different types of sensory perception		
are provided to accommodate		
different disabilities.		
• Decoration, Formatting, Invisible: If		
non-text content is pure decoration,		
is used only for visual formatting, or		
is not presented to users, then it is		
implemented in a way that it can be		
ignored by assistive technology.		

Guideline 1.2 Time-based Media

Provide alternatives for time-based media.

Criteria	Supporting Feature	Remarks and Explanations
1.2.1 Audio-only and Video-only	Not Applicable	
(Prerecorded): For prerecorded		
audio-only and prerecorded video-		
only media, the following are true,		
except when the audio or video is a		
media alternative for text and is clearly		
labeled as such:		
 Prerecorded Audio-only: An 		
alternative for time-based media is		
provided that presents equivalent		
information for prerecorded audio-		
only content.		
 Prerecorded Video-only: Either an 		
alternative for time-based media or an		
audio track is provided that presents		
equivalent information for		
prerecorded video-only content.		
1.2.2 Captions (Prerecorded):	Not Applicable	
Captions are provided for all		
prerecorded audio content in		
synchronized media, except when the		
media is a media alternative for text		
and is clearly labeled as such.		
1.2.3 Audio Description or Media	Not Applicable	
Alternative (Prerecorded): An		
alternative for time-based media or		
audio description of the prerecorded		
video content is provided for		
synchronized media, except when the		
media is a media alternative for text		
and is clearly labeled as such.		

Criteria	Supporting Feature	Remarks and Explanations
1.2.4 Captions (Live): Captions are provided for all live audio content in synchronized media.	Not Applicable	
1.2.5 Audio Description (Prerecorded): Audio description is provided for all prerecorded video content in synchronized media.	Not Applicable	

Guideline 1.3 Adaptable

Create content that can be presented in different ways (for example simpler layout) without losing information or structure.

Criteria	Supporting Feature	Remarks and Explanations
1.3.1 Info and Relationships: Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.	Supported With Exceptions	Decorative images do not contain alt-text as their purpose is decorative and does not block users from performing any tasks. Error "the specified name is already in use" not announced by screen reader when a page naming conflict takes place. In calendars, some non-text elements don't have appropriate alt text. Workaround - in most cases the ribbon contains the same controls with appropriate alt text that can be read. Tables are used for layouts but appropriately marked so they are ignored by screen readers. H3 headings used in view and edit properties instead of H2.
1.3.2 Meaningful Sequence: When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.	Supported	
1.3.3 Sensory Characteristics: Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.	Supported	

Guideline 1.4 Distinguishable

Make it easier for users to see and hear content including separating foreground from background.

Criteria	Supporting Feature	Remarks and Explanations
1.4.1 Use of Color: Color is not used	Supported With Exceptions	In calendars, some controls only use
as the only visual means of conveying		color to convey it's a control.
information, indicating an action,		, ,
prompting a response, or		
distinguishing a visual element.		
1.4.2 Audio Control: If any audio on	Supported	
a Web page plays automatically for		
more than 3 seconds, either a		
mechanism is available to pause or		
stop the audio, or a mechanism is		
available to control audio volume		
independently from the overall system		
volume level.		
1.4.3 Contrast (Minimum): The	Supported	
visual presentation of text and images		
of text has a contrast ratio of at least		
4.5:1, except for the following:		
• Large Text: Large-scale text and		
images of large-scale text have a		
contrast ratio of at least 3:1;		
• Incidental: Text or images of text		
that are part of an inactive user		
interface component, that are pure		
decoration, that are not visible to		
anyone, or that are part of a picture		
that contains significant other visual		
content, have no contrast		
requirement.		
• Logotypes: Text that is part of a logo		
or brand name has no minimum		
contrast requirement.		
1.4.4 Resize text: Except for captions	Supported	
and images of text, text can be resized		
without assistive technology up to 200		
percent without loss of content or		
functionality.		
1.4.5 Images of Text: If the	Supported	
technologies being used can achieve		
the visual presentation, text is used to		
convey information rather than		
images of text except for the		
following:		

Criteria	Supporting Feature	Remarks and Explanations
 <u>Customizable</u>: The image of text can 		
be visually customized to the user's		
requirements;		
• Essential: A particular presentation		
of text is essential to the information		
being conveyed.		

Principle 2: Operable

User interface components and navigation must be operable.

Guideline 2.1 Keyboard Accessible

Make all functionality available from a keyboard.

Criteria	Supporting Feature	Remarks and Explanations
2.1.1 Keyboard: All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.	Supported With Exceptions	Drag-n-drop operations are not supported via keyboard. The clear operation depicted as "x" on text boxes is not accessible via keyboard. The workaround for keyboard users is to use backspace or CTRL+A + delete. When online presence is not available, hover contact information is not keyboard accessible. The workaround is either to enable presence or for keyboard users to press enter on the user's name to be navigated to their profile information that displays the same information. In Calendar cannot access day boxes using keyboard.
2.1.2 No Keyboard Trap: If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.	Supported With Exceptions	When term sets are enabled, keyboard focus is getting trapped when creating a new column.

Guideline 2.2 Enough Time

Provide users enough time to read and use content.

Criteria	Supporting Feature	Remarks and Explanations
2.2.1 Timing Adjustable: For each	Not Applicable	
time limit that is set by the content,		
at least one of the following is true:		
• <u>Turn off</u> : User is allowed to turn off		
time limit before encountering it; or		
• <u>Adjust:</u> The user is allowed to		
adjust the time limit before		
encountering it over a wide range		
that is at least ten times the length		
of the default setting; or		
• Extend: The user is warned before		
time expires and given at least 20		
seconds to extend the time limit		
with a simple action (for example,		
"press the space bar"), and the user		
is allowed to extend the time limit at		
least ten times; or		
• Real-time Exception: The time limit		
is a required part of a real-time		
event (for example, an auction), and		
no alternative to the time limit is		
possible; or		
•Essential Exception: The time limit is		
essential and extending it would		
invalidate the activity; or		
•20 Hour Exception: The time limit is		
longer than 20 hours.		
2.2.2 Pause, Stop, Hide: For	Not Applicable	
moving, blinking, scrolling, or auto-		
updating information, all of the		
following are true:		
• <u>Moving, blinking, scrolling:</u> For any		
moving, blinking or scrolling		
information that (1) starts		
automatically, (2) lasts more than		
five seconds, and (3) is presented in		
parallel with other content, there is a		
mechanism for the user to pause,		
stop, or hide it unless the		
movement, blinking, or scrolling is		
part of an activity where it is		
essential; and		
• <u>Auto-updating</u> : For any auto-		
updating information that (1) starts		
automatically and (2) is presented in		
parallel with other content, there is a		
mechanism for the user to pause,	1	

Criteria	Supporting Feature	Remarks and Explanations
stop, or hide it or to control the		
frequency of the update unless the		
auto-updating is part of an activity		
where it is essential.		

Guideline 2.3 Seizures

Do not design content in a way that is known to cause seizures.

Criteria	Supporting Feature	Remarks and Explanations
2.3.1 Three Flashes or Below	Not Applicable	
Threshold: Web pages do not		
contain anything that flashes more		
than three times in any one second		
period, or the flash is below the		
general flash and red flash		
thresholds.		

Guideline 2.4 Navigable

Provide ways to help users navigate, find content, and determine where they are.

Criteria	Supporting Feature	Remarks and Explanations
2.4.1 Bypass Blocks: A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.	Supported	
2.4.2 Page Titled: Web pages have titles that describe topic or purpose.	Supported With Exceptions	Some pages in Settings keep the site name or library name as the page title instead of the page itself. One iFrame in Document Library doesn't have title/name.
2.4.3 Focus Order: If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.	Supported With Exceptions	Operations like adding a web part on the page, will set focus back to the start of the page. Focus order is not appropriate in places like when changing the position of a field in column ordering. When the user clicks on "Show these Items" Link on Permissions Page, the focus does not comes over Pop-up displayed.

Criteria	Supporting Feature	Remarks and Explanations
2.4.4 Link Purpose (In Context): The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general.	Supported	
2.4.5 Multiple Ways: More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.	Supported	
2.4.6 Headings and Labels: Headings and labels describe topic or purpose.	Supported	
2.4.7 Focus Visible: Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.	Supported	

Principle 3: Understandable

Information and the operation of user interface must be understandable.

Guideline 3.1 Readable

Make text content readable and understandable.

Criteria	Supporting Feature	Remarks and Explanations
3.1.1 Language of Page: The	Supported	
default human language of each		
Web page can be programmatically		
determined.		
3.1.2 Language of Parts: The	Supported	
human language of each passage or		
phrase in the content can be		
programmatically determined except		
for proper names, technical terms,		
words of indeterminate language,		
and words or phrases that have		
become part of the vernacular of the		
immediately surrounding text.		

Guideline 3.2 Predictable

Make Web pages appear and operate in predictable ways.

Criteria	Supporting Feature	Remarks and Explanations
3.2.1 On Focus: When any	Supported	
component receives focus, it does		
not initiate a change of context.		
3.2.2 On Input: Changing the	Supported	
setting of any user interface		
component does not automatically		
cause a change of context unless		
the user has been advised of the		
behavior before using the		
component		
3.2.3 Consistent Navigation:	Supported	
Navigational mechanisms that are		
repeated on multiple Web pages		
within a set of Web pages occur in		
the same relative order each time		
they are repeated, unless a change		
is initiated by the user.		
3.2.4 Consistent Identification:	Supported With Exceptions	Checkbox is checked/unchecked
Components that have the same		using spacebar at one place
functionality within a set of Web		("Overwrite if file already exists") and
pages are identified consistently.		Enter at the other place ("Add a web
		part").

Guideline 3.3 Input Assistance

Help users avoid and correct mistakes.

Criteria	Supporting Feature	Remarks and Explanations
3.3.1 Error Identification: If an	Supported	
input error is automatically		
detected, the item that is in error is		
identified and the error is described		
to the user in text.		
3.3.2 Labels or Instructions: Labels	Supported	
or instructions are provided when		
content requires user input.		
3.3.3 Error Suggestion: If an input	Supported	
error is automatically detected and		
suggestions for correction are		
known, then the suggestions are		
provided to the user, unless it would		
jeopardize the security or purpose		
of the content.		

Criteria	Supporting Feature	Remarks and Explanations
3.3.4 Error Prevention (Legal,	Supported	
Financial, Data): For Web pages		
that cause legal commitments or		
financial transactions for the user to		
occur, that modify or delete user-		
controllable data in data storage		
systems, or that submit user test		
responses, at least one of the		
following is true:		
1. Reversible: Submissions are		
reversible.		
2. Checked: Data entered by the		
user is checked for input errors and		
the user is provided an opportunity		
to correct them.		
3. Confirmed: A mechanism is		
available for reviewing, confirming,		
and correcting information before		
finalizing the submission.		

Principle 4: Robust

Content must be robust enough that it can be interpreted reliably by a wide variety of user agents, including assistive technologies.

Guideline 4.1 Compatible

Maximize compatibility with current and future user agents, including assistive technologies.

Criteria	Supporting Feature	Remarks and Explanations
4.1.1 Parsing: In content	Supported	
implemented using markup		
languages, elements have complete		
start and end tags, elements are		
nested according to their		
specifications, elements do not		
contain duplicate attributes, and any		
IDs are unique, except where the		
specifications allow these features.		

Criteria	Supporting Feature	Remarks and Explanations
4.1.2 Name, Role, Value: For all	Supported With Exceptions	Information or help icons are
user interface components		incorrectly marked up as links but
(including but not limited to: form		doesn't prevent users from getting
elements, links and components		the information.
generated by scripts), the name and		Theme name links in Change the
role can be programmatically		Look could provide more descriptive
determined; states, properties, and		text.
values that can be set by the user		In wiki editing "Text Layout" is
can be programmatically set; and		marked up as a button, while actually
notification of changes to these		a menu.
items is available to user agents,		In web part page editing, edit web
including assistive technologies.		part operation is marked up as a link,
Note: This success criterion is		while actually a menu.
primarily for Web authors who		In the site homepage, document
develop or script their own user		library settings page and user
interface components. For example,		permissions page, there are several
standard HTML controls already		controls not being read in a proper
meet this success criterion when used		way by screen readers.
according to specification.		

Disclaimer

© 2016 Microsoft Corporation. All rights reserved. The names of actual companies and products mentioned herein may be the trademarks of their respective owners. The information contained in this document represents the current view of Microsoft Corporation on the issues discussed as of the date of publication. Microsoft cannot guarantee the accuracy of any information presented after the date of publication.

Microsoft regularly updates its websites and provides new information about the accessibility of products as that information becomes available.

Customization of the product voids this conformance statement from Microsoft. Customers may make independent conformance statements if they have conducted due diligence to meet all relevant requirements for their customization.

Please consult with Assistive Technology (AT) vendors for compatibility specifications of specific AT products. This document is for informational purposes only. MICROSOFT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT.